

CONTENTS

SAFES

Light safes	3
SG safes	4
Furniture safes	5
Gun safes	6
Hotel safes / Video recorder safes	7
Wall safes	7

KP SAFES VdS - Tested

8

KP SAFES

9

BANKING / DEPOSITORY PRODUCTS

Multisafes	10
Teller safe	11
Depository safes	12
Transfer cabinets	13
Night safes	14
Modular and cast vaults	15

CABINETS

Increased fire-resistance cabinets	16
Confidential data cabinets	17
Double-door file cabinets	18
Clothing cabinets	19
File cabinets	20

OPTIMAL APPLICATION OF SELECTED PRODUCTS

21

LOCKS

22

SL LIGHT SAFES

- For perfect protection of cash, checks, bills, securities, documents, weapon or jewelry.
- These safes meet the requirements of 1st class burglary resistance according to European standards, as certified by the Institute of Precision Mechanics.
- Modern, multi-layer door structure.
- Fitted with high-quality, certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Height-adjustable shelves to meet the customer's requirements.
- Possibility to fix the safe to the floor.
- Available options include: internal locker (SL 62÷100), insertion slots, space for terminals of alarm system and additional shelves.

Types of locks:



Model	Outside dimensions [mm]			Inside dimensions [mm]			Weight kg
	H	W	D	H	W	D	
SL 26M	260	330	270	150	220	151	24
SL 26	260	410	340	150	300	221	34
SL 45	450	450	440	340	340	321	65
SL 62	620	500	480	510	390	361	91
SL 67	670	500	480	560	390	361	96
SL 100	1000	500	480	890	390	361	130

Standard colors: pale grey black
RAL 9002 RAL 9005



SL 45-EC



SL 67-SK



SG 100-K

SG SAFES

- For perfect protection of cash, bills, checks, documents, securities or jewelry.
- These safes meet the requirements of 2nd class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- Modern, multi-layer door structure, up to 60 mm thick.
- Fitted with high-quality, certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Height-adjustable shelves to meet the customer's requirements.
- Possibility to fix the safe to the floor.
- Available options include: internal locker, sliding or drum insertion devices, insertion slots, and additional shelves.

Types of locks:



Model	Outside dimensions [mm]			Inside dimensions [mm]		
	H	W	D	H	W	D
SG 55	550	480	480	395	360	300
SG 65	650	480	480	525	360	300
SG 70	700	480	480	545	360	300
SG 90	900	480	480	745	360	300
SG 100	1000	510	480	845	390	300
SG 120	1200	510	480	1045	390	300
SG 140	1400	510	500	1245	390	320
SG 160	1600	510	500	1445	390	320
SG 180	1800	510	500	1645	390	320
SGP 140	1400	730	730	1245	610	550
SGP 160	1600	730	730	1445	610	550
SGP 180	1800	730	730	1645	610	550

Standard colors: pale grey black
RAL 9002 RAL 9005

ML FURNITURE SAFES

- Designed for securing bills, checks, cash, jewelry and weapons. May be installed in any piece of furniture.
- These safes meet the requirements of 0 class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- Modern, multi-layer door structure, up to 45 mm thick.
- Fitted with high quality certified locks: key locks, coded locks and electronic locks.
- Height-adjustable shelves to meet the customer's requirements.
- Possibility to fix the safe to the floor.
- Available options include: internal locker (ML62÷ML150D), insertion slots, handgun racks and additional shelves.

Types of locks:



Model	Outside dimensions [mm]			Inside dimensions [mm]			Weight kg
	H	W	D	H	W	D	
ML 16M	160	220	150	152	212	90	6
ML 16	160	300	220	152	292	160	8
ML 20	200	400	290	192	392	230	15
ML 35	350	400	370	342	392	310	23
ML 45	450	400	370	442	392	310	26
ML 62	620	400	370	612	392	310	30
ML 67	670	400	370	662	392	310	32
ML 100	1000	500	480	992	492	420	56
ML 125	1250	300	300	1242	292	240	42
ML 150M	1500	300	370	1492	292	310	54
ML 150	1500	600	370	1492	592	310	90
ML 150D	1500	800	500	1492	792	440	117

Standard colors: pale grey RAL 9002 black RAL 9005



ML 20-K



ML 67-SK



MLB 150M/4

MLB 125/4



MLB GUN SAFES

- Designed for storing any type of guns, ammunition, and weapon-related accessories.
- These safes meet the requirements of 0 class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- Fitted with high quality, certified locks: key locks, coded locks and electronic locks.
- Possibility of setting individual safes together into a segment.
- Bullet container and ramrod holder .
- ML safes are designed for storing handguns.

- MLB 125/4** – for 4 guns
- MLB 150M/4** – for 4 guns, internal locker
- MLB 150/5** – for 5 guns, internal locker, and special foot layout
- MLB 150/8** – for 8 guns, internal locker
- MLB 150D/11** – for 11 guns, internal locker

Types of locks:



Model	Outside dimensions [mm]			Inside dimensions [mm]			Weight kg
	H	W	D	H	W	D	
MLB 125/4	1250	300	300	1242	292	240	42
MLB 150M/4	1500	300	370	1492	292	310	59
MLB 150/5	1500	600	370	1492	592	310	95
MLB 150/8	1500	600	370	1492	592	310	97
MLB 150D/11	1500	800	500	1492	792	440	123

Standard colors: pale grey RAL 9002 black RAL 9005

SH HOTEL SAFES

SH VIDEO RECORDER SAFES

Model	Outside dimensions [mm]			Class
	H	W	D	
SH 200-CC	200	450	270	0
SH 200-K	200	545	420	-

SN WALL SAFES

- For perfect protection of documents, bills, checks, cash, keys or jewelry.
- These safes meet the requirements of 1st class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- Modern, multi-layer door structure, up to 70 mm thick.
- Fitted with high quality, certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Height-adjustable shelves to meet the requirements (except SN21).
- Available options include: alarm system terminal holes, flat dial of the coded lock and an additional shelf.

Model	Outside dimensions [mm]			Inside dimensions [mm]			Weight kg
	H	W	D	H	W	D	
SN 21	190	325	257	90	228	168	10
SN 32M	289	486	257	189	389	168	22
SN 32	289	486	327	189	389	238	24
SN 34M	349	486	257	249	389	168	29
SN 41	429	486	327	329	389	238	34
SN 61D	566	486	407	466	389	318	42

Standard colors:

pale grey

black

RAL 9002

RAL 9005



SH 200-CC



SH 200-K



SN 21-S

KP SAFES VdS - Tested

- Designed for storing cash, bills, checks, securities and important documents
- These safes meet the requirements of 0, 1st and 2nd class burglary resistance according to the European standards, as certified by VdS in Germany.
- The highest available level of anti-burglary protection due to modern, multi-layer wall structure filled with a special composite.
- Thickness of door body.
- Door opening angle: 200°.
- Fitted with high quality certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- An extensive latching system, including a blockade which activates upon attempting to break-in and door protection preventing from pulling the door open even if the hinges had been destroyed.
- Height-adjustable shelves to meet the customer's requirements.



KP9-E/I

Model	External dimensions [mm]			Internal dimensions [mm]			Weight kg		
	H	W	D	H	W	D	Cl. 0	Cl. 1	Cl. 2
KP5	535	542	530	405	400	315	260	270	300
KP6	630	572	570	500	430	355	330	340	370
KP8	800	572	570	670	430	355	390	400	450
KP9	940	542	530	810	400	315	410	420	470
KP11	1170	572	570	1040	430	355	540	550	620
KP12	1290	682	640	1160	540	425	710	720	820
KP15	1520	682	640	1390	540	425	820	830	940
KP16	1660	682	640	1530	540	425	890	900	1010
KP18	1800	682	640	1670	540	425	950	960	1090

Standard colors:

pale grey

black

RAL 9002

RAL 9005

KP SAFES

- Designed for storing cash, bills, checks, securities and important documents
- These safes meet the requirements of 2nd, 3rd, 4th, 5th, 6th, and 8th class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- The highest available level of anti-burglary protection due to modern multi-layer wall structure filled with a special composite.
- Fitted with high quality, certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- An extensive latching system, including a blockade which activates at an attempt of break-in and door protection preventing from pulling the door open if the hinges had been destroyed.
- Height-adjustable shelves to meet the customer's requirements.
- Available options include: internal locker, shock sensors, insertion devices, deposit boxes, drawers, file frames.

Types of locks:



Model	Class II			Class III			Class IV, V, VI			Class VIII		
	Outside dimensions [mm]											
	H	W	D	H	W	D	H	W	D	H	W	D
KP 45	450	450	445	-	-	-	-	-	-	-	-	-
KP 62	620	500	495	-	-	-	-	-	-	-	-	-
KP 67	670	500	495	670	610	615	-	-	-	-	-	-
KP 100	1000	500	495	1000	610	615	1000	680	685	-	-	-
KP 120	1200	500	495	1200	610	615	1200	680	685	1200	780	765
KP 150	1500	500	495	1500	610	615	1500	680	685	1500	780	765
KP 180	-	-	-	1800	610	615	-	-	-	1800	780	765
KPP 120	-	-	-	-	-	-	1200	800	775	-	-	-
KPP 150	-	-	-	-	-	-	1500	800	775	-	-	-
KPP 180	-	-	-	-	-	-	1800	800	775	-	-	-

Standard colors: pale grey black
 RAL 9002 RAL 9005

KP 45-SK



KP 100-K



MULTISEJF XP



XP MULTISAFES

- Designed for transferring and storing money, bills, foreign currency, securities, checks and credit cards.
- It facilitates workflow in regard to automatic cash-desk service.
- These safes meet the requirements of 3rd class burglary resistance according to the guidelines of Institute of Precision Mechanics.
- Comprises three drawers: the first one has a partially movable bottom and acts as an insertion device.
- Drawer fronts are made of steel plate, 8 mm thick.
- The highest available level of anti-burglary protection due to modern multi-layer structure.
- Fitted with high quality, certified locks: key lock and two electronic locks.
- Possibility to fix the safe to the floor.

Types of locks:



Model	Outside dimensions [mm]			Distance of drawer protrusion
	H	W	D	
Multisejf XP	670	500	550	
Drawer dimensions [mm]				
I drawer	93	371	492	370
II drawer	150	371	292	180
III drawer	180	371	492	370

Standard colors: pale grey black
 RAL 9002 RAL 9005

TELLER SAFES

- Designed for transferring and storing cash, important documents, bills and credit cards without the need to open the safe when inserting items.
- Designed for banks, shops or petrol stations – any place where depositing money and valuables is a common practice.
- The safes comprise a drawer (acting as an insertion device) and the main chamber.
- These safes meet the requirements of 1st class burglary resistance according to the European standards, as certified by the Institute of Precision Mechanics.
- The highest available level of anti-burglary protection due to modern multi-layer structure.
- Fitted with high quality, certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Height-adjustable shelves to meet the customer's requirements.
- Safe drawers are fitted with plastic holder for banknotes and coins.
- Possibility to fix the safe to the floor.

Types of locks:



Model	Product dimensions [mm]		
	H	W	D
SL67+	670	500	550
Drawer	93	371	492

Standard colors: pale grey black
RAL 9002 RAL 9005



SL 67+



DEPOSITORY SAFES

- Designed for depositing cash, documents, money, bills, securities or checks without the need to open the safe when inserting items.
- Designed for shops, petrol stations or offices – each place, where depositing money and cash turnover is a common practice.
- They provide an effective protection of surplus cash from cash desks in case of robbery or theft.
- Top or side slots provide for free insertions slots with anti-fishing device, prevent from “fishing” the deposits.
- Fitted with high quality certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Depending on the model, safes are fitted with height-adjustable shelves to meet the customer's requirements.
- Possibility to fix the safe to the floor.
- Available options include: monitoring system terminals.
- Depending on a model, the ML, SL, or SG safe may be fitted with insertion slots (top or side ones) or insertion devices (drum or slide ones).

Types of locks:



Standard colors: pale grey black
RAL 9002 RAL 9005



TRANSFER CABINET

- Designed for transferring money and valuables without direct contact between the person passing the money and the receiver. Those cabinets are installed as sluice in banking outlets.
- Access to the cabinet interior is possible by means of two doors located at the opposite walls of the cabinet: the internal door is designated for service personnel, and the outside door for convoy staff.
- The doors are fitted with high quality locks: key locks, code locks and electronic locks, opened with keypad or electronic key. The cabinets are controlled by optical system, control desktop or electronic system.
- Available options include: GPRS, supervision system and transport suitcase identification system.



KPP 70/70-SK



STIV/1

* Optical system or control desktop system
** Electronic system

Model	Outside dimensions [mm]			Class
	H	W	D	
KPP70/70 *	745	520	540	IV, V
KPP120/120*	1265	840	1260	IV, V
STIV/1**	800	420	850	IV
STIV/2**	800	670	850	IV

Standard colors:

pale grey

black

RAL 9002

RAL 9005

ELECTRONIC OR MECHANICAL NIGHT SAFES

- Night safes allows for passing the deposits to the bank vault or safe within 24 hours.
- Those devices are certified by the Institute of Precision Mechanics as the mechanism meets the conditions of "portfolio" insertion and prevents from extracting any item through the insertion device system.
- Night safes are handled with a magnetic card, after inputting individual code or pushing the lever.
- If the electronic night safe is used, the depositing operation is confirmed with a receipt printout, declaring date, time, number of deposits and user ID number.
- If the night safe door is open, the interior lighting is automatically switched on.
- Possibility to install night safe in the wall or at the cash desk/safe in compact version.
- Dimensions of the inserted object.



WBNE

Model	Product dimensions [mm]		
	H	W	D
WBNE electronic	570	440	610
WBN mechanical	570	440	610
Dimensions of the inserted object			
	70	250	300

MODULAR OR CAST VAULTS

- Designed for banks and other financial institutions.
- They are made of modular or cast elements.
- Active anti-burglary reinforcement protects from effects of modern diamond tools.
- The highest quality of our vaults is confirmed by the individually granted certificates of the Institute of Precision Mechanics and guaranteed by application of ISO 9001 quality management system in the scope of design, installing and maintenance of vaults.
- Lightweight structure thanks to panels made of few modern materials applied in order to achieve the proper class.
- A single panel is equipped with a simple, easy and safe transverse lock, which enables simple construction and quick assembly of rooms of any dimensions.
- Possibility to install vault door and emergency hatch.
- Our offer includes blocks of deposit boxes and vaults of various dimensions.



Type	Wall thickness	Resistance class
SM 80/V	80	V
SM 80/VI	80	VI
SM 170/IX	170	IX
SM 220/XI	220	XI

INCREASED FIRE-RESISTANCE CABINETS

- Designed for storing files, documents, computer hardware, and other items critical to the company.
- Special cabinet structure for better protection of its contents in case of fire or burglary.
- They hold C-class certificates for storing confidential information granted by the Institute of Precision Mechanics.
- High-quality fabrication and finish allows using the cabinet in any office.
- Modern, multi-layer door structure, 60 mm thick.
- Fitted with high quality certified locks: key locks, coded locks and electronic locks (it is possible to install any two locks at a time).
- Three height-adjustable shelves to meet the customer's requirements.
- Available options include: mini-vaults and additional shelves.



MSO2-K

Model	Outside dimensions [mm]			Inside dimensions [mm]			Weight kg
	H	W	D	H	W	D	
MSO2	1850	960	550	1710	830	420	304
MSO2M	1200	960	550	1060	840	415	213

Standard colors: pale grey RAL 9002 black RAL 9005

CONFIDENTIAL DATA CABINETS

- Designed for storing important documents, files, computer hardware and valuable items.
- The cabinets meet the requirements of NATO and Ministry of Defense, as certified by the Institute of Precision Mechanics.
- Fitted with high quality, certified locks: key lock and coded lock.
- Door latched from four sides.
- Bearing capacity of the shelves: 50 kg.
- Three or four height-adjustable shelves to meet the customer's requirements.
- Available options include: mini-vaults and holders for sealing.

Model		Inside dimensions [mm]			Weight Kg
		H	W	D	
SzS 150	NATO - A	1500	700	500	203
SzS 185	NATO - A	1850	700	500	247
SzSA 150	MON - A	1500	700	500	208
SzSA 185	MON - A	1850	700	500	252
MS1/B 160	NATO - B	1600	800	500	155
MS1/B 185	NATO - B	1850	800	500	190
MSB 160	MON - B	1600	800	500	157
MSB 185	MON - B	1850	800	500	195
MSC	MON - C	1500	700	500	78
MSC 1	MON - C	1500	700	500	45

Standard colors: pale grey black
RAL 9002 RAL 9005



MS1/B 185T-EK



MS2 T2 4/2-K



MSC



MS 2-10

DOUBLE-DOOR FILE CABINETS

- Reliable and visually attractive office furniture designed for storing documents, computer hardware and other important items.
- Certified by the Institute of Precision Mechanics.
- Made of steel sheet, up to 1.5 mm thick.
- Bearing capacity of the shelves: 50 kg.
- Fitted with high quality, certified locks: key locks, coded locks or electronic locks (it is possible to install any two locks at a time).
- Three or four height-adjustable shelves to meet the customer's requirements.
- Available options include: internal locker and upper additions.
- Our offer also features shutter door cabinets.

Model	Inside dimensions [mm]			Weight Kg
	H	W	D	
MS2 - 4/1	1900	1000	500	140
MS2 - 4/2	1900	1000	500	130
MS2 - 10	1950	1000	435	58
MS2 - 11	1950	1200	435	65
MS2 - 20	1220	1000	435	39
MS2 - 21	1220	1200	435	44
Upper addition - N1	460	1000	435	19
Upper addition - N2	460	1200	435	22

Standard colors: pale grey black
RAL 9002 RAL 9005

BHP CLOTHING CABINETS

- Clothing cabinets combine practical functionality with high quality and visually attractive finish.
- A wide range of clothing cabinets to be used in offices, cloakrooms and staff rooms.
- Door locked with cylindrical lock with one- or three-point latch.
- Fitted with special ventilation ducts.
- The cabinets are offered in one-, two-, three-, and four-column versions – with different column widths.
- Available options include: benches, shelves and an additional division in the chamber.

Description of cabinet symbols:

K - number of columns in the cabinet
D - number of cabinet door
p - division in each chamber
t - three-point latch
A - column width of 350 mm
B - column width of 300 mm
C - column width of 400 mm

Model	Dimensions [mm]		
	H	W	D
BHP 1K/1Dt-B lub A	1800	320 lub 370	490
BHP 1K/1Dpt-C	1800	420	490
BHP 2K/2Dt-B lub A	1800	620 lub 720	490
BHP 2K/2Dpt-C	1800	820	490
BHP 3K/3Dt-B lub A	1800	920 lub 1070	490
BHP 3K/3Dpt-C	1800	1220	490
BHP 4K/4Dt-B lub A	1800	1220 lub 1420	490
BHP 1K/2, 4, 5 D-B	1800	320	490
BHP 2K/4, 8, 10 D-B	1800	620	490
BHP 3K/6, 12, 15 D-B	1800	920	490
BHP 4K/8, 16, 20 D-B	1800	1220	490
BHP 1K/2, 4 Dt-C	1800	420 lub 820	490

Standard colors:

pale grey
RAL 9002

black
RAL 9005

cream
RAL 1015

brown
RAL 8016



BHP 2K/2Dt-C



KR-3



KR-4

FILE CABINETS

- Visually attractive, functional office furniture.
- Two-, three-, or four-drawer cabinets.
- They hold C-class certificates for storing confidential information granted by the Institute of Precision Mechanics.
- Drawer edges are adjusted for hanging files and folders.
- The drawers are protected from dropping out.
- Easy, stable operation of the drawers due to application of ball guide.
- The cabinets are centrally locked with cylindrical lock.
- It is possible to draw only one drawer at a time without disturbing the balance of the cabinet.

Model	Outside dimensions [mm]			Inside dimensions of the drawers [mm]		
	H	W	D	H	W	D
KR-2	734	442	630	245 (czoło – 290)	324	593
KR-3	1027	442	630	245 (czoło – 290)	324	593
KR-4	1320	442	630	245 (czoło – 290)	324	593


Standard colors:

pale grey
RAL 9002


black
RAL 9005

OPTIMAL APPLICATION OF SELECTED PRODUCTS


- SL LIGHT SAFES
- SG SAFES
- ML FURNITURE SAFES




- SH HOTEL SAFES / VIDEO RECORDER SAFES
- SN WALL SAFES
- SL TELLER SAFES
- MS CONFIDENTIAL DATA CABINETS



- VdS Tested KP SAFES



- KP SAFES



- MSO2 INCREASED FIRE-RESISTANCE CABINETS
- MS2 DOUBLE-DOOR FILE CABINETS

